

1. Identification

| | |
|---|--|
| Product identifier | IdeaPaint CREATE CLEAR THIS (Part B) |
| Other means of identification | None. |
| Recommended use | Dry erase coating. |
| Recommended restrictions | None known. |
| Manufacturer/Importer/Supplier/Distributor information | |
| Manufacturer/Supplier | ICP Building Solutions Group (CAN) 555 Bay Street North Hamilton, Ontario L8L 1H1 Canada |
| Telephone number | 978-623-9980 |
| Website | www.icpgroup.com |
| Emergency | Chemtel 1-800-255-3924 1-813-248-0585 |

2. Hazard identification

| | | |
|-------------------------|-----------------------------------|-------------|
| Physical hazards | Flammable liquids | Category 4 |
| Health hazards | Acute toxicity, oral | Category 4 |
| | Skin corrosion/irritation | Category 1B |
| | Serious eye damage/eye irritation | Category 1 |
| | Sensitization, skin | Category 1 |

Label elements



| | |
|---------------------------------|--|
| Signal word | Danger |
| Hazard statement | Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. |
| Precautionary statement | |
| Prevention | Keep away from flames and hot surfaces-No smoking. Do not breathe mist or vapour. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use water fog, foam, dry chemical powder, carbon dioxide (CO ₂) to extinguish. |
| Storage | Store in a well-ventilated place. Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards | None known. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--|------------|-----|
| 3-Aminopropyltriethoxysilane | | 919-30-2 | 100 |
| Composition comments | All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. | | |
| 4. First-aid measures | | | |
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. | | |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. | | |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately. | | |
| Ingestion | Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. | | |
| Most important symptoms/effects, acute and delayed | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. Harmful if swallowed. May be harmful in contact with skin. | | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed. | | |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. | | |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). | | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | | |
| Specific hazards arising from the chemical | The product is combustible, and heating may generate vapours which may form explosive vapour/air mixtures. During fire, gases hazardous to health may be formed. | | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | | |
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. | | |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. | | |
| General fire hazards | Combustible liquid. | | |
| 6. Accidental release measures | | | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. | | |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. | | |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. | | |

7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Do not breathe mist or vapour. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Persons susceptible to allergic reactions should not handle this product.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Additional components | Type | Value |
|-----------------------|------|----------|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Additional components | Type | Value |
|-----------------------|------|------------|
| Ethanol (CAS 64-17-5) | TWA | 1880 mg/m3 |
| | | 1000 ppm |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Additional components | Type | Value |
|-----------------------|------|----------|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Additional components | Type | Value |
|-----------------------|------|----------|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Additional components | Type | Value |
|-----------------------|------|----------|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm |

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

| Additional components | Type | Value |
|-----------------------|------|------------|
| Ethanol (CAS 64-17-5) | TWA | 1880 mg/m3 |
| | | 1000 ppm |

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

| Additional components | Type | Value |
|-----------------------|-----------|----------|
| Ethanol (CAS 64-17-5) | 15 minute | 1250 ppm |
| | 8 hour | 1000 ppm |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Wear face shield if there is risk of splashes.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Other

Wear appropriate chemical resistant clothing, including apron and sleeves. Full body suit and boots are recommended when handling large volumes or in emergency situations.

| | |
|---------------------------------------|--|
| Respiratory protection | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Remove contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. |

9. Physical and chemical properties

Appearance

| | |
|-----------------------|-------------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Colour | Colorless to yellowish. |

Odour Amine-like.

Odour threshold Not available.

pH 11.3 at 20 °C

Melting point/freezing point < -70 °C (< -94 °F)

Initial boiling point and boiling range 220 °C (428 °F)

Flash point 92.8 °C (199.0 °F)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) 0.8 %

Explosive limit – upper (%) 4.5 %

Vapour pressure 0.02 hPa at 20 °C

Vapour density Not available.

Relative density 0.94

Solubility(ies)

Solubility (water) 5.4 g/l at 20°C

Partition coefficient (n-octanol/water) 1.7 QSAR-method (20 °C)

Auto-ignition temperature 300 °C (572 °F)

Decomposition temperature Not available.

Viscosity 2 mPa·s DIN 53015 at 20 °C

Other information

Explosive properties Not explosive.

Molecular formula C9-H23-N-O3-Si

Molecular weight 221.42 g/mol

Oxidising properties Not oxidising.

Pounds per gallon 7.88 lbs/gal

VOC < 100 g/l

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions Contact with water liberates ethanol. Polymerisation will not occur unless product is mixed with epoxy resins, isocyanates or urethane prepolymers.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidising agents. Strong acids.

Hazardous decomposition products Ethanol in case of hydrolysis. Thermal decomposition of this product can generate carbon monoxide, carbon dioxide and nitrogen oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.
Skin contact Causes severe skin burns. May cause an allergic skin reaction.
Eye contact Causes serious eye damage.
Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. Harmful if swallowed. May be harmful in contact with skin.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Toxicological data

| Additional components | Species | Test Results |
|-----------------------|---------|-------------------------------|
| Ethanol (CAS 64-17-5) | | |
| Acute | | |
| Inhalation | | |
| <i>Vapour</i> | | |
| LC50 | Mouse | 39 g/m ³ , 4 Hours |
| Oral | | |
| LD50 | Rat | 7000 - 11000 mg/kg |

Skin corrosion/irritation Causes severe skin burns.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Canada - Manitoba OELs: carcinogenicity

Ethanol (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Further information Symptoms may be delayed. Ethanol may be released.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Additional components | Species | Test Results | |
|-----------------------|---------|-------------------------------------|--|
| Ethanol (CAS 64-17-5) | | | |
| Aquatic | | | |
| <i>Acute</i> | | | |
| Crustacea | LC50 | Ceriodaphnia dubia Daphnia magna | 5012 mg/l, 48 hours 454 mg/l, 11 days |
| Fish | LC50 | Pimephales promelas | 13480 mg/l, 96 hours |

| Additional components | Species | Test Results |
|-----------------------------|----------------------------|-------------------|
| <i>Chronic</i> Crustacea | NOEC Ceriodaphnia dubia | 9.6 mg/l, 10 days |

Persistence and degradability

Biodegradability

Percent Degradation (Aerobic Biodegradation-Ready)

IdeaPaint CREATE CLEAR THIS (Part B) 67 % DOC; Die Away Test

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

IdeaPaint CREATE CLEAR THIS (Part B) 1.7 QSAR-method, (20 °C)

Mobility in soil

The product is slightly soluble in water. Expected to have low mobility in soil.

Other adverse effects

It will react with water and release ethanol.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

UN number UN3267
UN proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. ((3-aminopropyltriethoxysilane))
Transport hazard class(es)
Class 8
Subsidiary risk -
Packing group II
Environmental hazards No
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN3267
UN proper shipping name Corrosive liquid, basic, organic, n.o.s. (3-Aminopropyltriethoxysilane)
Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
Packing group II
Environmental hazards No
ERG Code 8L
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3267
UN proper shipping name Corrosive liquid, basic, organic, n.o.s. (3-Aminopropyltriethoxysilane)
Transport hazard class(es)
Class 8
Subsidiary risk -
Packing group II
Environmental hazards
Marine pollutant No
EmS F-A, S-B
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 01-February-2019

Revision date 11 February 2020

Version No. 02

List of abbreviations
TWA: Time weighted average.
STEL: Short term exposure limit.
VOC: Volatile organic compounds.
QSAR: Quantitative Structure Activity Relation.

Disclaimer

IdeaPaint cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.